	Application No.	Applicant(s)
Notice of Allowability	10/709,856	NEWMAN ET AL.
	Examiner	Art Unit
	Michael J. Kyle	3677
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment of 1/4/07.		
2. The allowed claim(s) is/are 11-21,23 and 24.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
 Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 		
Copies of the certified copies of the priority documents have been received in Application 140. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	·	•
	•	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
Notice of Preferences Cited (PTO-092) Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	,
	Paper No./Mail Da	ite
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Statem	ent of Reasons for Allowance
	9. Other	
•		

Application/Control Number: 10/709,856 Page 2

Art Unit: 3677

DETAILED ACTION

Allowable Subject Matter

- 1. The following is an examiner's statement of reasons for allowance: The prior art shows an extension pole telescoping inner and outer sections with a locking mechanism to fix the section at a relative position (Polzin et al). The prior art further show the locking mechanism to include a tubular collet cam with a body section and a pair of locking segments along with a chuck (Polzin et al). The prior art fails to show all of the claimed elements further where the locking segments are separated by an axial margin from each other and are separated from the body by a circumferential slot, such that the segments are attached to the body by a connection portion and cantilevered from the connection portion in a circumferential direction.

 Additionally, the prior art does not show an outward surface of the segments to present a radial outer dimension that progressively increases in a circumferential direction defined within a perpendicular cross-section relative to the axis or for the chuck to include inward facing surfaces having a radial dimension the progressively increases in the circumferential direction.
- 2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael J. Kyle whose telephone number is 571-272-7057. The examiner can normally be reached on Monday Friday, 8:30 am 5:00 pm.

Art Unit: 3677

- 4. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Swann can be reached on 571-272-7075. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

mk

